



Geometry
Unit 2—inductive reasoning
assessment

Name: _____


Period: _____

1. In your own words, explain what inductive reasoning is.

2. For which of the following situations is inductive reasoning used to draw a conclusion?

a) If $\frac{x-1}{2} = 8$, then $x - 1 = 16$.

b) If $\angle A = 120^\circ$ and $\angle B = 60^\circ$, then $\angle A$ and $\angle B$ are supplementary.



By the Vertical Angle Theorem, $m\angle 1 = m\angle 2$.

d) Cara measures the acute angles in several right triangles. She concludes that the two acute angles always add up to 90° . Therefore, the two acute angles in a right triangle are complementary.



Geometry
Unit 2—inductive reasoning
assessment

Name: _____

Period: _____

3. What are the next three items in the pattern?



4. What are the next three numbers in the Fibonacci sequence below?


1, 1, 2, 3, 5, 8,...

5. Kaitlyn observes the number of quail in her backyard over the course of several nights.

Night	1	2	3	4
# of	20	19	17	14

Using inductive reasoning, make a conjecture for the given data.

6. Write a rule to find the perimeter of the 100th rectangle in the pattern.





Geometry
Unit 2—inductive reasoning
assessment


Name: _____

Period: _____

7. Which is the counterexample that proves the given conjecture is false?

Conjecture: "If two rays have the same endpoint, then they are opposite rays."

Counterexamples:



b. Show that the conjecture is false by finding a counterexample.

If $AB + BC = AC$, then B is the midpoint of AC .

c. Which is NOT a counterexample for the conditional statement "If $x \neq 0$, then $\frac{1}{x} < x$ "?

- a) -2
- b) $\frac{1}{2}$
- c) -1
- d) 2